

△ : 작업중 / ▲ : 입고예정 (주중) / ○ : 소량

2020년 07월 20일

* 주요 취급 품목		※문의) 서창경 대표 : 010-9232-4112 / 황호민 상무 : 010-3579-6426	
STS	B8, B8M, B8 CL2, B8M CL2, 316L, 310S, 317L, 304L, 316TI, B6(410), 420 J2, B8T(321), B8C(347), 630, 431		
CARBORN	B7, B7M, L7, L7M, B16, A36, 307A, 307B, 307C, A325, A449, A490, F1544(GR55, 105, A36)		
DUPLEX	F51(S31803), F53(S32750), F55(S32760), F44(S31254), INCONEL, MONEL, HASTELLOY, INCOLOY		

* HEX BOLT (304 : ●, 316 : ○)

재질	경	장	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	140	150	160	170	180	190	200	210	220	230	240	250	270	300	350		
304 316 (열간)	22														○				○			○	○				○			○	○	○	○	○				
	24										○	○						○															○	○	○	○		
	27					○	○	○	○	○	○	○	○	○	○	○	○	○	○		○	○	○	○	○	○	○	○	○	○			○	○	○	○		
	30					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			○	○	○	○		
	33					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			○	○	○	○	
	36					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○							
재질	경	장	1"	1-1/4	1-1/2	2"	2-1/2	3"	3-1/2	4"	4-1/2	5"	6"	7"	8"	9"	10"																					
304 (열간)	7/8				○	○	○	○	○	○	○	○	○	○	○																							
	1"			○	○	○	○	○	○	○	○	○	○	○	○	○																						
	1-1/8				○	○	○	○	○	○	○	○	○	○	○	○																						
	1-1/4					○	○	○	○	○	○	○	○	○	○	○																						
	1-1/2						○	○	○	○	○	○	○	○	○	○	○																					

* HEX BOLT (316L : ●, 316 : ○, 단스끼 : ☆)

※316 - 12*220,240,250,260,280,300,340,400(음셀타입)

재질	경	5/8"(15)	3/4"(20)	1"(25)	1 1/4"(30)	1 3/8"(35)	1 1/2"(40)	1 3/4"(45)	2"(50)	2 1/4"	2 1/2"(65)	3"(75)	3 1/2"(90)	4"(100)	4 1/2"	5"	6"(150)
1/4		●	○	○	○		○		○			○					
5/16		●	○	○	○		○		○			○					
3/8			○	○	○		○		○			○					
1/2-13山				○	○		○		○			○					
5/8					○		○		○			○					
3/4							○		○			○					

* HEX BOLT (316L : ●, 304L : ○, B6(410) : ☆)

재질	경	10	12	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100	110	115	120	130	140	150
316L 304L B6	5	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	6	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	8		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	10			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	12			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	14				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	16					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	18						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	20							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	22								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	24									○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	27										○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	30											○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* HEX BOLT (F51(31803, 2205) : ●, 310S : ○, B8T(321) : ☆)

재질	경	장																											
		10	12	15	20	25	30	35	40	45	50	55	60	65	70	75	80	90	100	110	120	130	140	150	160	170	180	190	200
F51 310S B8T	6	●	●	○	●			●	●		●		●																
	8			●○	●○	●○	●○	●○	●○	●○	☆	☆	☆	○	○	☆	●○	●☆	●○										
	10			●○	●○	●○	●○	●○	●○	●○	○☆	●○	○	○	○	○	○	○											
	12				○☆	●○	●○	●☆	●○	●○	●○	●○	●○	○☆	●○	●○	○☆	●○	●○	●	●	●							
	16					●	●	●	●○	●○	●○	●○	●○	●○	●○	●○	●○	●○	●○		●	●			●	●			
	20												●○	●○	●○	●○	●○	●○					○	○					●

* HEX BOLT (A36 : ●, B8C(347) : ☆)

재질	경	10	12	15	20	25	30	35	40	45	50	55	60	65	70	75	80	90	100	110	120	130	140	150	160	170	180	190	200
A36 B8C	12				●	●	●	●	●	●	●	●	●	●	●	●	●	●	●										
	16								●☆	●☆	●☆	●☆	●☆	●☆	●☆	●☆	●☆	●☆	●☆	●			●	●	●☆				

* B7 (H.V HEX BOLT : ●, HEX BOLT : ○)

재질	경	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	110	120	130	140	150	180	200
B7	6	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	8	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	10	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	12	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	16		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	20			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	22				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	24					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	1/2						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	5/8							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	3/4								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	7/8									○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* A307 (307-B, H.V HEX BOLT : ●, 307-A, HEX BOLT : ○)

재질	경	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	110	120	130	140	150	180	200
A307	8	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	10	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	12	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	14	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	16	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	20					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	1/2						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	5/8							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	3/4								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	7/8									○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* A325 H.V HEX BOLT

재질	경	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
----	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

△ : 작업중 / ▲ : 입고예정 (주중) / ○ : 소량

2020년 07월 20일

* STUD BOLT (B8 : ●, B8M : ○)

재질	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	140	145	150	160	170
M12	●○	●○	●○	○	●○	●○	●○	●○	○	○	●○	●○	●○	○	○	○	○	○	○	○	○	○
M16	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
M20	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
M22	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
1/2(13)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
5/8	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
3/4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
7/8	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* HEX NUT (8 : ○)

재질	규격	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42	45	48	52	56	60
304		●	●	●	●○	●○	●	●○	●	●○	●○	●	●○	●○	●	○	○	○	○	○	○	○	○	○	○
316		●	●	●	●	●	●	●	●	●	●	●	●	●	●	○	○	○	○	○	○	○	○	○	○
316L					●	●	●	○	●	●	●	●	●	●	●	○	○	○	○	○	○	○	○	○	○
45C (백)													●	●											
45C (용융)												○		○											
재질	규격	1/4	5/16	3/8	7/16	1/2(12)	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-3/4	2"	2-1/2							
304		●	●	●○		●	●	●○	●	●	●	●	●	●	●	○	○								
316		●	●○	●		●	●	●	●	●	●	●	○	○	○										
45C								●	●	●	●	●	●	●	●										

* HEX NUT (가느다)

재질	규격	M8(8P)	M10(10P)	M12(12P)	M14(14P)	M16(16P)	M18(18P)	M20(20P)	M22(22P)	M24(24P)	M27(27P)	M30(30P)	M33(33P)	M36(36P)	M39(39P)	M42(42P)	M45(45P)	M48(48P)	M52(52P)	M56(56P)	M60(60P)
304		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
316		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

* H.V HEX NUT (백도금 : ○) (M30 이상은 3.0P 재고기준) (M30-3.5P : 재고有, M33-3.5P, M36-4.0P : 8M 재고有), H.V-2H, M18-2.5P, M45-3.0P, M52-3.0P

재질	규격	3/8	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-5/8	1-3/4	1-7/8	2"	2-1/4	2-1/2	6	8	10	12	14	16	20	22	24	27	30	33	36	39	42	48	
		●	●	●	●	●	○	○	○	○	○	●	○	○				●	●	●	●	●	●	●	●	●	●				●			
8M		●	●	●	●	●	●	○	●	○	○	○	○	○	○	○	○	●	●	●	●		●	●	●	●	○				○		○	
1D(8)																		●	●	●	●	●	●	●		○		○	○					
1D(8M)																		●	●	●	●	○	●	●	●	○								
1D(2H)																		●	●	●	●	●	●	●	○	●	●	●	●	●	●	●		
2H			●○	●○	●○	●	●○	●○	●○	●	●○	●	●	●	●		●	●		●	●	●	●	●	●	●	●	●	●	●	●	●		●
2H (용융)			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●		●	●	○			●	●	●	●	●	●	●
563A		●	●	●	●	●	●	●		●	●							●	●	●	●		●	●	●	●	●	●	●	●	●			
563A (용융)		●	●	●	●	●	●	●		●	●									●	●	●	●	●	●	●		●		●				
563M-10S																			●	●	●		●	●	●	●	●				●			
10S (용융)																				●	●		●	●	●	●	●	●	●	●				
563-DH				●	●	●	●	●				●											●	●	●	●	●	●	●	●	●			
DH (용융)		○		●	●	●	●																											
재질	규격	3/8	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-5/8	1-3/4	1-7/8	2"	2-1/4	2-1/2		8	10	12	14	16	20	22	24	27	30	33	36	39	42	48	
2HM		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																	
4L		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●		●	●	●	●	●	●						
7		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																	

* 특수 HEX NUT (미리 : ○, 인치 : ●)

재질	규격	6(1/4")	8(5/16")	10(3/8")	12(1/2")	14	16(5/8")	20(3/4")	22(7/8")	24(1")	27(1-1/8")	30(1-1/4")
F51		○	○	○	○	○	○	○	○	○	○	○
410(6)		○	○	○	○	○	○	○	○	○	○	○
310S		○	○	○	○	○	○	○	○	○	○	○
321(8T)		○	○	○	○	○	○	○	○	○	○	○
347(8C)		○	○	○	○	○	○	○	○	○	○	○
HASTELLOY Q-276												
194-7												
194-2H		○	○	○	○	○	○	○	○	○	○	○
304L		○	○	○	○	○	○	○	○	○	○	○

* 와사류(F436(인치) : ○, F436M(미리) : ●, 45C 용융 : ★)

구분	규격	3	4	5	6	8	10(3/8)	12(1/2)	14	16(5/8)	18	20(3/4)	22(7/8)	24(1")	27	30(1-1/8)	33(1-1/4)	36(1-3/8)	39(1-1/2)	42(1-5/8)	45(1-3/4)	48	52
P/W 304 (규격)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
P/W 304 (비규격)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W 316 (규격)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
P/W 316L (규격)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
P/W 일반용					★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★
P/W (F436, F436M)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W-용융 (F436, F436M)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (304)			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S/W (316)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S/W (316L)					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
S/W (특제-황색)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-흑색)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-용융)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-용융전산용)							○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○



주 보 광 화 스 너

TEL : 055)334-4111

FAX : 055)334-4112

△ : 작업중 / ▲ : 입고예정 (주중) / ○ : 소량

2020년 07월 20일

* T/W (테이퍼 와사)

재질	규격	8	10	12	14	16	18	20	22	24	27	30	사각와사(SS400)
SS400 (황도금)	5°		●	●	●	●		●	●	●	●	●	40*40*18*8T
	8°	●	●	●	●	●	●	●	●	●			45*45*22*12T
304	5°	●	●	●		●		●	●	●	○	●	60*60*26*16T
	8°	●	●	●	●	●	●	●	●				70*70*33*16T
316L	5°	●	●	●	●	●		●	●	●		○	80*80*39*19T
S45C	5°	●	●	●	●	●	●	●	●	●			90*90*45*19T

* U-BOLT (304/단스개 : ○, 316 : ●, 316L/단스개 : ★)

정	TYPE	15A	20A	25A	32A	40A	50A	65A	80A	100A	125A	150A
M10	B	●★	●●★	●●★	●●★	●●★	○★					
	C	○●★	○●★	○★	○●★	○●★	○●★					
M12	B							○●★	○●★			
	C							○●★	○●★			
M16	A									○●★	○●★	○★

* SS400 HEX BOLT (홀/황도금)

경	장	210	220	240	250	260	280	300
10			●	●		●		●
12				●	●	●	○	●
16		○	●	●	●	●	●	●
20		●	●	●		○	●	●
22		●	●			●	●	●
24		●	●			●	●	●

* 316L 둥근머리볼트(+) : ○, 점시머리볼트(+) : ●, 점시머리볼트(-) : ○

경	장	6	8	10	12	15	20	25	30	35	40	45	50	55	60	70	75	80	90	100
3		○●	○●	○●	○●	●	○●	○												
4		○●	○●	○●	○●	●	○●	○●	○●	○	○●	○	○●		○					
5		○	○●	○●	○●		○●	○●	○●	○●	○●	○	○●							
6				○●	○●		○●	○●	○●	○●	○●	○●	○●	○	○●	○	○			
8						○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●			
10							○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●
12							○	○	○	○	○	○	○	○	○	○	○	○	○	○
16							16*65,120,150				○	○	○	○	○	○	○	○	○	○

* 304 환볼트(배볼트)

경	장	180	210	240	270	300	330	360
1/2(12)		●	●	●	●	●	●	●
단가		1,800	2,050	2,250	2,500	2,700	2,950	3,200

* 경첩볼트 (마리 : ●, 인치 : ○)

규격	재질	SS400(무도금)						SCM440				304						316				
		6 (1/4)	8 (5/16)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	22 (7/8)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	6 (1/4)	8 (5/16)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)
30		●	●	●					●				●	●	●				●			
35		●	●	●					●				●	●	●				●			
40		●○	●○	●					●				●	●○	●				●			
45		●	●○	●					●				●	●○	●				●			
50		●○	●○	●○	●				●○	●			●	●○	●○	●			●	●		
55		●	●	●○	●				●○	●			●	●	●○	●			●	●		
60		●○	●○	●○	●○				●○	○			●	●	●○	●○						
65				●○	●○					○					●○	●○				○		
70		●○	●○	●○	●○	●			●○	○			●	●	●	●○	●		●	●○		
75				●○	●○	●○				○					●	●○			●	●○		
80		●○	●○	●○	●○	●○				○	○			●	●	●○	●○		●	●○	○	
85				●○	●○	●○				○	○					○	○				○	
90		●○	●○	●○	●○	●○	●○			○	○	○			●	●	●○	●○	●	●	●○	●○
95					○	●○	●○			○	○	○				○	○	●○			●○	●○
100		●○	●○	●○	●○	●○	●○	●		○	○	○			●	●	●○	●○	●	●	●	●○
105							○					○						●○			●	●○
110			●○	●○	●○	●○	●○	●			○	○			●	●	●	●○		●	●	●
115						○	○	●				○						●○				
120			●○	●○	●○	●○	●○	●				○			●	●	●	●○		●	●	●
125						○						○										
130				●○	●	●○	●○	●				○			●	●	●	●				
135						○																
140				●○	●	●○	●	●							●	●	●					
150				●○	●○	●○	●○								●	●	●					

* 기타 NUT 재고

*HEX NUT(B:18,H:10.5)(M12*1.75P(마킹:8),M12*1.75P(마킹:4),M12*1.75P(마킹:A4-80)

*HEX NUT(B:16,H:8.1)(M10*1.5P)(마킹:A4-80)

*HEAVY HEX NUT

F51(1/2-13,5/8-11,3/4-10)

A194-6(M12*1.75P,M14*2.0P,M16*2.0P,M22*2.5P,M24*3.0P,3/8-16,1/2-13,7/8-9)

SUS321(1/2-13,M12*1.75P), A194-8T(M8*1.25P,M12*1.75P,1/2-13), SUS304L(3/8-16)

※ 당사 홈페이지 www.Younhap.co.kr → 보광화스너 → 일반자료실에서
재고 확인 가능하오니 참조 부탁드립니다.※ 기존 현물택배 처리되던 화물을 현물처리 해 드립니다.
(1마대 이상 주문시 운임비 1,000원 공제)[계좌번호]
경남은행 668-07-0013595
예금주 (주)보광화스너

(주) 보 광 화 스 너

TEL : 055)334-4111 FAX : 055)334-4112

특 별 할 인 판 매

1 of 3

2020. 07. 20

정 (주중)/ ① : 소량				316 HEX BOLT(A4-70)			
규격	수량	단가	마킹	규격	수량	단가	마킹
M6*12	4,090	25	DG A4-70	M10*40	310	152	A4-70
M6*20	4,520	32	TD A4-70	M10*40	180	152	TN A4-70
M6*25	18	35	THE A4-70	M10*70	70	224	A4-70
M6*35	155	43	SJF KS A4-70	M10*70	144	224	TN A4-70
M6*40	660	47	TD A4-70	M10*70	74	224	DG A4-70
M6*40	75	47	DN KS 316	M10*70	130	224	316
M6*40	50	47	DN 316	M10*75	151	237	DN 316
M6*55	52	62	DN KS 316	M10*120	47	346	DN 316
M6*70	590	75	DN 316	M10*140	175	394	TD 316
M6*75	890	78	DN 316	M12*20	1,200	166	TD A4-70
M8*20	18,948	60	YHF 316	M12*25	500	175	TD A4-70
M8*25	28	67	A4-70	M12*30	-	190	DN 316
M8*30	2,992	73	YHF 316	M12*40	-	223	A4-70
M8*35	-	83	TN KS A4-70	M12*40	13	223	DN 316
M8*45	1,040	99	YHF 316	M12*40	9	223	316
M8*50	115	106	DN KS 316	M12*45	-	243	TN KS A4-70
M8*50	157	106	DN 316	M12*45	-	243	DN 316
M8*50	23	106	TD A4-70	M12*50	480	255	TN A4-70
M8*55	8	117	DN KS 316	M12*50	30	255	TD A4-70
M8*60	100	122	TN KS A4-70	M12*50	19	255	A4-70
M8*60	20	122	DN 316	M12*50	20	255	DN 316
M8*60	18	122	A4-70	M12*55	-	276	TN A4-70
M8*70	5	139	DG A4-70	M12*55	-	276	DN 316
M8*90	11	173	SJ A4	M12*55	-	276	THE A4-70
M10*15	95	111	THE A4-70	M12*65	70	308	TN KS A4-70
M10*20	470	111	TD A4-70	M12*65	45	308	DN KS 316
M10*30	-	132	A4-70	M12*70	27	326	DG KS 316
M10*30	-	132	DG 316	M12*70	8	326	DN KS 316
M10*30	-	132	THE A4-70	M12*80	300	363	SJ A4
M10*35	60	143	TN A4-70	M12*100	47	430	SJ A4

(주) 보 광 화 스 너

특 별 할 인 판 매

2 of 3

2020. 07. 20

316 HEX BOLT(A4-70)				316 HEX BOLT(A4-70)			
규격	수량	단가	마킹	규격	수량	단가	마킹
M12*105	19	446	316	M16*70	124	610	THE A4-70
M14*30	8	298	DN KS 316	M16*75	46	646	TN A4-70
M14*40	40	344	TN KS A4-70	M16*75	32	646	DN 316
M14*45	-	369	DN KS 316	M16*80	5	672	DN 316
M14*50	-	389	DN KS 316	M16*85	89	711	DN 316
M14*55	3	414	DN KS 316	M16*100	5	821	DN 316
M14*55(Ø4)-홀	15	924	DN KS 316	M16*110	29	889	A4-70
M14*75	5	504	DN KS 316	M16*110	16	889	DN 316
M16*30	955	384	DN 316	M16*120	65	969	SJ 316
M16*35	660	410	DN 316	M16*120	8	969	DN 316
M16*35	240	410	A4-70	M16*150	15	1,144	DN 316
M16*35	15	410	TN 316	M20*45	8	872	SJ316
M16*40	-	438	TN 316	M20*60	-	982	THE A4-70
M16*40	-	438	DN 316	M20*60	-	982	TN 316
M16*45	-	462	DN 316	M20*60	-	982	DN 316
M16*45	-	462	DG 316	M20*60	-	982	316L
M16*50	438	488	A4-70	M20*65	-	1,028	THE A4-70
M16*50	309	488	TN A4-70	M20*65	-	1,028	TN A4-70
M16*50	320	488	DG 316	M20*65	-	1,028	DN 316
M16*50	294	488	THE A4-70	M20*65	-	1,028	A4-70
M16*50	25	488	TD A4-70	M20*70	-	1,066	TN A4-70
M16*50	9	488	SJF A4-70	M20*75	11	1,118	DN 316
M16*50	14	488	YHF 316	M20*75	4	1,118	A4-70
M16*55	485	527	TN A4-70 316	M20*85	8	1,264	DN 316
M16*55	95	527	THE A4-70	M20*85	4	1,264	TN A4-70
M16*65	-	588	VVV	M20*90	28	1,292	DN 316
M16*65	97	588	DN	M20*90	24	1,340	DN 316
M16*65	49	588	SJ	M20*90	25	1,292	DG 316L
M16*65	52	588	DM	M20*100	15	1,389	316L
M16*65	180	588	TN A4-70	M20*100	13	1,389	DN 316

(주) 보 광 화 스 너

특 별 할 인 판 매

3 of 3

2020. 07. 20

316 HEX BOLT(A4-70)				316 HEX BOLT(A4-70)			
규격	수량	단가	마킹	규격	수량	단가	마킹
M20*100	15	1,389	A4-70	M24*90	82	2,068	DM A4-70
M20*120	6	1,615	DG 316	M24*95	905	2,132	DM A4-70
M20*130	25	1,725	DN 316	M24*110	2	2,326	A4-70
M20*150	3	1,893	THE A4-70	M24*120	16	2,455	SJF A4-70
M20*180	11	2,197	A4-70	M24*120	2	2,455	A4-70
M22*30	4	1,150	DN 316	M24*130	12	2,617	DM 316
M22*45	19	1,150	316	M24*130	2	2,617	A4-70
M22*50	96	1,157	DN 316	M27*70	120	2,714	316
M22*65	8	1,338	DM 316	M27*70	61	2,714	YHF 316
M22*65	10	1,338	YHF 316	M27*60	64	2,520	316
M22*75	84	1,460	A4-70	M30*60	17	3,166	YHF 316
M22*80	36	1,518	DN 316	M30*65	38	3,263	SKF 316
M22*80	30	1,518	TN A4-70	M30*70	21	3,410	316
M22*80	6	1,518	DM 316	M30*75	3	3,554	YHF 316
M22*85	71	1,583	DM 316	M30*75	4	3,554	316
M22*95	8	1,700	THE 316	M30*75	32	3,554	YHF 316
M22*120	13	2,016	DN 316	M30*80	21	3,683	316
M22*130	17	2,132	DG A4-70	M30*85	3	3,812	316
M24*55	7	1,518	DG 316				
M24*55	4	1,518	THE A4-70				
M24*70	35	1,745	DH 316				
M24*70	6	1,745	THE A4-70				
M24*80	40	1,887	THE A4-70				
M24*80	22	1,887	DG 316				
M24*80	10	1,887	A4-70				
M24*80	5	1,887	DM 316				
M24*85	15	1,964	THE A4-70				
M24*90	42	2,068	A4-70				

(주) 보 광 화 스 너

매 환 인 한 품 비

1 of 1

2020. 07. 20

[illegible]

(주)보광화스너

10.9 HEX BOLT 단가표

1 of 3

※도금 변경 가능(도금비 추가)

2020. 07. 20

10.9 HEX BOLT (착색)				10.9 HEX BOLT (황도금)				10.9 HEX BOLT (황도금)			
	마킹	수량	단가	규격	마킹	수량	단가	규격	마킹	수량	단가
M8*90	FAST	-	63	M12*70	혼입	730	107	M22*40	DG	90	312
M10*55	YHF	16,300	62	M12*80	DG	191	120	M22*50	혼입	115	328
M10*60	YHF	17,550	65	M12*80	동아	100	120	M22*55	OM	16	334
M16*80	YHF	-	220	M12*85	DG	131	132	M22*60	DJ	786	353
M16*170	DG(도금용)	-	440	M12*90	CS.L	66	132	M22*65	혼입	30	378
M16*180	Y.S(도금용)	3	478	M12*130	H.C	120	183	M22*65	DG.KS	182	378
M20*115	YHF	425	472	M16*30	DG	367	113	M22*65	DG	480	378
M20*120	Y.S	70	472	M16*30	C.S	798	113	M22*70	DJ	160	403
M22*110	YHF	3	573	M16*35	DG	1,914	123	M22*75	OM	100	428
M22*130	YHF	605	642	M16*75	혼입	130	208	M22*75	DG.KS	120	428
M30*180	FAST	523	1,840	M16*80	Y.S	645	220	M22*75	DJ	16	428
M36*180	FAST	1,040	2,550	M16*90	DG	23	240	M20*80	DG	-	447
M36*200	FAST	73	2,790	M16*90	OM	11	240	M22*85	YHF	120	463
M36*260	YHF	340	3,500	M16*110	동아	75	284	M22*85	OM	150	463
M36*260	FAST	450	3,500	M16*125	YHF	19	321	M22*85	DG	60	463
M48*200	FAST	149	6,350	M16*150	DG	24	372	M22*100	YHF	-	529
M48*200	YHF	200	6,350	M18*70	DJ	62	280	M22*110	혼입	38	573
10.9 HEX BOLT (황도금)				M18*80	CS.L	92	309	M22*150	OM	7	730
규격	마킹	수량	단가	M20*45	DG	40	233	M22*150	DJ	27	730
M8*45	DJ	940	33	M20*75	YHF	146	346	M22*160	DJ	40	775
M8*80	H.C	450	57	M20*75	C.S	118	346	M22*170	OM	36	820
M10*35	DJ	400	43	M20*85	OM	199	390	M22*170	혼입	40	820
M10*40	YHF	1,650	49	M20*110	DJ	17	440	M22*180	YHF	5	857
M10*60	YHF	955	65	M20*120	DJ	17	473	M24*50	Y.S	-	440
M10*65	OM	662	69	M20*125	CS.L	75	523	M24*55	DG.KS	-	433
M10*65	CS.L	200	69	M20*130	혼입	18	523	M24*60	YHF	-	447
M10*90	DJ	84	96	M20*140	DJ	70	560	M24*65	H	-	460
M12*25	YHF	690	55	M20*145	DJ	42	585	M24*80	혼입	10	530
M12*30	YHF	470	58	M20*150	DJ	70	585	M24*80	DJ	100	530
M12*40	CS.L	82	68	M20*155	DJ	20	630	M24*85	혼입	60	552
M12*55	YHF	74	88	M20*170	동아	60	662	M24*85	OM	120	552
M12*65	Y.S	480	100	M20*175	DJ	35	693	M24*85	DJ	60	552

10.9 HEX BOLT 단가표

2 of 3

※도금 변경 가능(도금비 추가)

2020. 07. 20

10.9 HEX BOLT (황도금)				10.9 HEX BOLT (백도금)				10.9 HEX BOLT (용융)			
규격	마킹	수량	단가	규격	마킹	수량	단가	규격	마킹	수량	단가
M24*95	OM	-	605	M16*90	DG	7	240	M20*100	CS,L	60	607
M24*140	DW	39	850	M20*65	CS.L	45	308	M20*100	YHF	14	607
M27*145	혼입	80	875	M20*95	YHF	84	400	M22*65	혼입	136	535
M30*80	YHF	95	1,060	M22*45	H.C	179	312	M22*90	YHF	37	700
M30*85	YHF	150	1,070	M22*65	DJ	56	378	M24*50	SJ	43	596
M30*90	YHF	22	1,080	M22*70	DJ	30	403	M24*55	Y.S	55	620
M30*95	YHF	178	1,130	M22*75	YHF	369	428	M24*60	Y.S	82	645
M30*100	10.9	22	1,170					M24*65	Y.S	54	673
M30*105	YHF	-	1,220	M22*85	YHF	180	463	M24*75	Y.S	57	757
M30*105	OM	-	1,220	M22*115	YHF	29	595	M24*85	DG	28	818
M30*115	OM	-	1,300	M24*90	DJ	1,996	573	M24*90	YHF	90	852
M30*115	YHF	-	1,300	10.9 HEX BOLT (용융)				M24*90	DJ	14	852
M30*135	YHF	8	1,470	규격	마킹	수량	단가	M24*100	DG	21	945
M30*135	10.9	55	1,470	M8*50	DG	500	52	M24*110	DG	25	1,018
M30*160	DN	3	1,700	M8*50	OM	1,050	52	M24*120	SJ	19	1,105
M30*175	YHF	8	1,850	M10*45	YHF	320	78	M30*100	OM	23	1,695
M30*190	OM	3	1,920	M12*40	Y.S	240	100	M30*125	YHF	12	1,950
M36*120	DN	10	1,870	M12*50	Y.S	3,350	120	10.9 HEX BOLT (다크로)			
M36*120	KPF	10	1,870	M12*50	OM	105	120	규격	마킹	수량	단가
10.9 HEX BOLT (백도금)				M12*60	DJ	335	139	M24*235	YHF	194	1,320
규격	마킹	수량	단가	M16*35	OM	34	178	8.8 HEX BOLT (용융)			
M10*45	YHF	728	53	M16*35	DG	7	178	규격	마킹	수량	단가
M12*55	YHF	280	88	M16*40	혼입	79	190	M12*50(단)	SJF	40	120
M12*65	YHF	95	100	M16*45	DG	77	207	M30*70	DG	31	1,360
M16*30	YHF	155	113	M16*50	OM	-	225	8.8 HEX BOLT (착색)			
M16*40	YHF	100	132	M16*55	혼입	-	242	규격	마킹	수량	단가
M16*45	CS.L	5	142	M16*75	YHF	20	303	M16*195	YHF	2,320	470
M16*50	혼입	50	155	M16*100	CS,L	102	305	M20*90	YHF	2,842	390
M16*65	YHF	18	182	M20*50	Y.S	150	368	M20*100	D	1,071	410
M16*65	Y.S	90	182	M20*55	DG	25	398	M20*140	D	450	560
M16*80	Y.S	16	220	M20*75	YHF	40	505	M20*150	D	1,696	597
M16*80	YHF	9	220	M20*90	DG	29	572	M24*140		378	837

10.9 HEX BOLT 단가표

3 of 3

※도금 변경 가능(도금비 추가)

2020. 07. 20

[illegible]

(주) 보광화스너

SS400 HEX BOLT 단가표

1 of 2

※도금 변경 가능(도금비 추가)

2020. 07. 20

SS400 HEX BOLT (용융)				SS400 HEX BOLT (용융)				SS400 HEX BOLT (황도금)			
	마킹	수량	단가	규격	마킹	수량	단가	규격	마킹	수량	단가
M10*30	YS	240	52	M20*160	LS	30	757	M8*75	DG	415	37
M12*25	SJ	-	67	M22*45	DG	85	412	M10*45	혼입	-	43
M12*55	YHF	3,570	107	M22*50	DG	635	438	M10*55	YHF	800	48
M12*60	SJF	90	115	M22*60	YHF	205	477	M10*55	BD	500	48
M12*70	YHF	20	127	M22*65	YHF	156	502	M10*55	C.S	750	48
M12*75	YHF	72	135	M22*70	YHF	2,768	525	M10*75	C.S	550	60
M14*35	SJF	650	123	M22*75	YHF	115	550	M14*30	DG	840	79
M16*65	C.S	13	223	M22*105	YHF	95	665	M16*95	SFC	60	193
M16*65	YHF	455	223	M22*115	SJ	133	718	M16*95	YHF	226	193
M16*70	C.S	15	240	M22*160	DH	25	992	M16*155	SFC	55	303
M16*70	SKB	500	240	M22*160	DG	20	992	M20*95	YHF	3,445	330
M16*75	YHF	517	252	M24*55	SJ	82	566	M20*105	YHF	1,150	355
M16*80	SKB	728	265	M24*60	YHF	693	595	M20*105	SJ	984	355
M16*80	YHF	720	265	M24*65	YHF	260	623	M22*45	DLS	60	277
M16*85	SJ	-	277	M24*75	YHF	100	680	M22*65	YHF	3,960	335
M16*90	SJ	360	288	M24*80	SJ	5	700	M22*85	DG	80	400
M16*120	DG	24	357	M24*85	SJ	300	710	M22*85	YHF	4,090	400
M20*55	SKB	-	352	M24*90	YHF	95	760	M22*95	YHF	-	418
M20*55	YHF	-	352	M24*100	SJ	60	826	M22*130	Y.S	-	560
M20*60	SKB	1,795	372	M24*110	SJ	35	882	M22*130	YHF	-	560
M20*60	YHF	430	372	M27*110	YHF	16	1,090	M22*140	YHF	515	598
M20*70	C.S	410	410	M30*60	YHF	113	1,080	M22*165	DC	25	685
M20*80	YHF	1,052	449	M30*90	YHF	387	1,395	M24*55	YS	-	378
M20*85	YHF	180	462	M30*110	DG	20	1,610	M24*70	YHF	494	435
M20*85	SJ	4	462	M30*125	YHF	20	1,760	M24*70	SJ	180	435
M20*90	YHF	160	487	M30*240	YHF	9	4,230	M24*70	XN	29	435
M20*100	YHF	88	526	M36*70	YHF	22	1,810	M24*75	YHF	450	450
M20*105	YHF	55	546	SS400 HEX BOLT (황도금)				M24*75	SJ	109	450
M20*110	YHF	-	565	규격	마킹	수량	단가	M24*95	SJ	156	530
M20*120	YHF	196	603	M6*40	혼입	1,500	12	M24*125	YHF	135	665
M20*125	DG	71	616	M6*40	YHF	57,500	12	M24*140	OM	45	1,045
M20*135	YHF	50	662	M6*45	DG	15,000	13	M24*170	DH	135	845

(주) 보 광 화 스 너

SS400 HEX BOLT 단가표

2 of 2

※도금 변경 가능(도금비 추가)

2020. 07. 20

SS400 HEX BOLT (황도금)				SS400 HEX BOLT (무도금)							
규격	마킹	수량	단가	규격	마킹	수량	단가				
M30*65	YHF	317	770	M27*180	YHF	513	1040				
M30*65	S	43	770	M27*190	YHF	332	1090				
M30*75	YHF	149	840	M27*200	YHF	269	1110				
M30*80	YHF	578	860	M30*180	YHF	367	1260				
M30*85	YHF	900	900	M36*85	YHF	434	1090				
M30*90	S	2,079	930	M36*90	YHF	20	1130				
M30*90	YHF	189	930	M36*95	YHF	120	1160				
M30*95	YHF	2,521	970	M36*130	YHF	55	1460				
M30*100	YHF	67	1,020	M36*140	YHF	625	1540				
M30*120	YHF	1,713	1,120	M36*150	YHF	64	1580				
M30*125	YHF	585	1,220	M36*190	YHF	11	1920				
M30*160	YHF	20	1,470	M36*200	YHF	100	2030				
M30*190	YHF	11	1,700	SS400 HEX BOLT (백도금)							
M36*60	YHF	180	1,090	규격	마킹	수량	단가				
M36*80	H	34	1,350	M27*150	YHF	-	1160				
M36*85	YHF	11	1,400	M30*100	YHF	9	1090				
M36*90	YHF	342	1,450								
M36*105	YHF	46	1,600								
M36*125	YHF	89	1,830								
M36*130	YHF	18	1,880								
M36*135	YHF	10	1,900								
SS400 HEX BOLT (무도금)											
규격	마킹	수량	단가								
M24*105	SJ	1,168	420								
M27*80	YHF	200	530								
M27*85	YHF	350	560								
M27*90	YHF	750	600								
M27*120	YHF	5	755								
M27*140	YHF	17	830								
M27*150	YHF	7	880								
M27*160	YHF	547	935								
M27*170	YHF	481	980								

(주) 보 광 화 스 너

특 별 할 인 판 매

2020. 07. 20

)/ ○ : 소량			AL B/RIVET (흑)(한빛 제품)			10.9 렌치볼트(무전해니켈)		
규격	수량	단가	규격	수량	단가	규격	수량	단가
M30*3.5P	1		Ø4.8*16	15,000	16	M12*40	400	3,150
SS400 아이너트(황도금)			304 L-양카(홀, 국산)			M16*50	260	275
규격	수량	단가	규격	수량	단가	M24*65	504	960
M6*1.0P	5,718	170	1/2"-12山*150	32	1,750			
M8*1.25P	3,368	170	1/2"-12山*200	150	1,890			
SS400 아이너트(무도금)			1/2"-12山*250	40	2,030			
규격	수량	단가	1/2"-12山*300	5	2,170			
M36*4.0P	100	6,850	5/8"-11山*150	10	2,130			
304 아이너트(무택)			5/8"-11山*200	21	2,350			
규격	수량	단가	5/8"-11山*250	75	2,590			
M20	100		5/8"-11山*270	50	2,830			
304 아이볼트			3/4"-10山*200	43	3,290			
규격	수량	단가	3/4"-10山*250	27	3,630			
M22*2.5P	240	4,800	3/4"-10山*300	75	3,950			
1/2*12산	1,159	1,000	3/4"-10山*350	107	4,280			
5/8*11산	342	2,000	7/8"-9山*400	37	6,020			
AL B/RIVET(한빛 제품)			7/8"-9山*450	43	6,480			
규격	수량	단가	1"-8山*450	61	8,400			
Ø2.5*8(HF)	15,000	7	1"-8山*500	21	9,000			
Ø4.8*20	2,100	15	S45C 중길이(1000M)					
AL B/RIVET(합판용)(한빛 제품)			※열/비 = 열처리/비도금					
규격	수량	단가	규격	수량	단가			
Ø4*11	29,500	10	M48-5.0P(착색)	17	33,300			
Ø4.8*16	3,000	16	1/2"-13山(착색)	286	860			
Ø6.4*13(HF)	5,000	50	5/8"-11山(열/비)	3	1,270			
AL B/RIVET (흑)(한빛 제품)			7/8"-9山(착색)	4	2,610			
규격	수량	단가	1-1/8"-7山(착색)	82	4,670			
Ø3.2*8	10,000	7.5	1-1/4"-8山(착색)	151	5,850			
Ø4*11	40,500	11						
Ø4.8*11	15,000	13						

(주) 보 광 화 스 너

특 별 할 인 판 매

2020. 07. 20

)/ ○ : 소량			316 HEX NUT					
규격	수량	단가	규격	수량	단가			
M5	487,730	0.85	1/2"-12山	1,540	75			
S45C S/W (JIS, 용융도금)			304 원너트					
규격	수량	단가	규격	수량	단가			
M10	417,347	6.5	M12-1.75P	1,032	240			
S45C S/W (JIS, 황도금)			1/2"-12山	2,500	230			
규격	수량	단가	1/2"-13山	1,260	240			
M14	5,960	12.90	A325 H.V H/B , N, P/W					
M18	24,932	25.80	규격	수량	단가			
M20	54,730	35	3/4"-10山*2-1/4"(백)	23,456	협의			
M33	3,793	150						
SS400 나이론너트 (백도금)								
규격	수량	단가						
5/8"-11山	65,860	67						
3/4"-10山	6,500	107						
7/8"-9山	1,750	170						
1"-8山	-	250						
304 나이론너트								
규격	수량	단가						
M20	330	375						
M22	145	650						
3/4"-10山	2,590	335						
1"-8山	180	1600						
316 나이론너트								
규격	수량	단가						
M5	13,500	10						
M6	22,250	15						
316L 후렌지너트								
규격	수량	단가						
3/8"-16山(B:14)	3,800	100						

(주) 보 광 화 스 너